Chapter 27 BLOODBORNE PATHOGEN EXPOSURE CONTROL PLAN

A. References.

Occupational Exposure to Bloodborne Pathogens: http://apps.leg.wa.gov/WAC/default.aspx?cite=296-823 WSU SPPM 2.44 Bloodborne Pathogens: Bloodborne Pathogens.htm

B. Appendices:

- a. Appendix 1 Job Titles with reasonably anticipated exposure to blood or OPIM
- Appendix 2 WSU Health Care Professional's Written Opinion for Hepatitis B Vaccination Form
- c. Appendix 3 WSU Hepatitis B Vaccination Declination Form
- d. Appendix 4 WSU Health Care Professional's Opinion for Post Exposure Evaluation Form
- e. Appendix 5 WSU Health Care Professional's Opinion for Post-Exposure Follow-Up Form

C. Purpose.

This plan intends to eliminate or reduce employee's exposure to blood borne pathogens. Bloodborne pathogens are microorganisms that may be present in human blood and other potentially infectious materials (OPIM) e.g. semen, vaginal secretions, cerebrospinal fluid, synovial fluid, pleural fluid, pericardial fluid, peritoneal fluid, amniotic fluid, saliva in dental procedures and can cause disease in humans. These include, but are not limited to, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), and Human Immunodeficiency Virus (HIV).

D. Scope.

This exposure control plan covers CAHNRS employees designated by the department as having reasonably anticipated occupational exposure to human blood or OPIM.

E. Responsibilities.

Supervisors

- Identify work activities with potential exposure to BBP or OPIM.
- Require the previously identified employees familiarize themselves with this APP chapter.
- Offer employees the HBV vaccine within 10 days of assignment to tasks with potential exposure.
- Provide employees BBP training within 10 days of assignment to tasks with potential exposure.
- Provide employees Personal Protective Equipment (PPE), for PPE selection and training information, please see this APP's PPE chapter.

- Evaluate employee adherence to BPP policy and initiate corrective action when necessary e.g. additional training and/or disciplinary action.
- Arrange for employees to visit the <u>emergency room</u> immediately after a needle stick or other suspected exposure to blood or OPIM breaking the skin barrier.

Employees

- Immediately inform their supervisor when (previously unidentified) tasks present potential BBP exposure.
- Familiarize themselves with this APP chapter.
- Receive the HBV vaccine per health care provider's recommendations, **or** sign the HBV vaccine declination form provided in <u>Appendix 3</u>.
- Attend and participate in BBP training.
- Wear PPE and adhere to BBP policies and procedures. Employees not conforming to BBP policy may be subject to disciplinary action.
- Visit the emergency room immediately after a needle stick or other suspected exposure to blood or OPIM breaking the skin barrier.

F. <u>Training</u>.

Employees that may be assigned to clean-up of blood or OPIM or with a reasonable expectation of exposure must understand the contents of this APP chapter and receive BBP training upon initial employment (or within 10 days of assignment to tasks with exposure potential) and on an annual basis.

Training will include SPPM section 2.44, University BBP Safety Policies and Procedures. Training and methods will be evaluated on an annual basis to ensure best possible practices.

G. Requirements.

Employees designated as having reasonably anticipated occupational exposure to BBP are to follow the *universal precautions*. Universal precautions are an approach to infection control where all human blood and OPIM are treated as if known to be infected with BBP. Accordingly, employees will use appropriate PPE, work practice controls, and engineering controls to eliminate or reduce their exposure.

H. Personal Protective Equipment.

PPE provides a barrier to prevent employees from contacting human blood or OPIM. PPE is considered suitable if it does not permit blood or OPIM to pass through or reach the person's skin, personal clothing, eyes, mouth or other mucous membranes under normal conditions of use. PPE includes disposable or other suitable gloves, eye protection, face masks, CPR masks, and coveralls. Disposable gloves should be replaced every six months. Refer to APP Chapter 11 for additional information on PPE.

PPE must be worn when it is reasonably anticipated that employees may have contact with blood or OPIM.

Disposable (single use) gloves will be replaced as-soon-as possible if they are torn, punctured, or when their ability to function as a barrier is compromised. Nitrile gloves are available for employees who are allergic to latex gloves.

Reusable latex and nitrile utility gloves are also available for use, when work activities warrant additional protection. Personnel receive glove donning, doffing, inspection and decontamination training.

Splash resistant goggles and face masks must be worn whenever there is potential for splashes, spray, spatter or droplets of blood or OPIM. CPR masks or similar barriers are required when performing CPR.

I. Work Practice Controls

The following work practices are used to reduce the potential for employee exposure to BBP:

- Whenever possible, the injured person should self-administer first-aid and clean up any human blood or OPIM and contaminated waste resulting from the injury.
- Employees wash their hands with soap and running water immediately or as-soon-as possible after removing gloves and/or other personal protective equipment.
- Employees wash their hands and any other exposed skin with soap and water, or flush mucous membranes with water for fifteen minutes immediately or as-soon-as possible following contact with blood or OPIM.
- Eating, drinking, using tobacco products, applying cosmetics, or lip balm, and handling contact lenses are prohibited in areas where blood or OPIM are present.

J. L. <u>Hepatitis B Virus Vaccinations</u>

All employees covered by this plan are to be offered the Hepatitis B vaccination series after training and within 10 days from the start of tasks with occupational exposure to human blood or OPIM. The vaccinations are provided at no cost to the employee.

Employees in the bloodborne pathogen program must be evaluated by a health care professional as to their need for a hepatitis B vaccination. The WSU's Health Care Professional's Written Opinion for Hepatitis B Vaccination Form (Appendix 2) must be completed and returned to HRS within 15 days of the employee's evaluation.

Prescreening of employees (pre-vaccine blood titers) shall not be a condition for beginning the Hepatitis B vaccination series. However, Health Care

Professionals may recommend a post-vaccine antibody titer (Anti-HBs) to assure the efficacy of the immunization.

Employees who decline vaccination must sign the WSU Hepatitis B Declination Form (Appendix 3) indicating they understand the risks of not receiving immunization. This decision to refuse the vaccination can be reversed at any time if the employee still has occupational exposure to bloodborne pathogens.

Employees who provide first-aid do not need to be offered the Hepatitis B vaccination until after an exposure incident. An exposure incident means a specific injection, mucous membrane or non-intact skin contact with blood or OPIM while providing first-aid. Contact EHS (335-3041) for more information.

K. M. Post Exposure Follow-Up

All employees who may have been exposed to human blood or OPIM should immediately wash the contaminated area with plenty of soap and running water. Employees with mucous membrane exposure should rinse with water for fifteen minutes.

The employee should seek medical attention as-soon-as possible preferably within two hours. The employee or the employee's supervisor completes the WSU Health Care Professional's Opinion for Post-Exposure Evaluation Form

(Appendix 4). The completed form is to be provided to the Health Care Professional. The Health Care Professional is also provided and completes the WSU Health Care Professional's Opinion for Post-Exposure Follow-Up Form (Appendix 5).

An Incident Report is to be completed with the following information:

- A description of the exposed employee's job duties at the time of the exposure.
- Documentation of the routes of exposure

O. Annual Review

This exposure control plan will be reviewed annually as part of an overall safety program review, whenever necessary to reflect new or modified tasks and procedures that affect occupational exposure, and to reflect new or revised employee positions with occupational exposure.

Appendix 1 - Job Titles with reasonably anticipated exposure to blood or OPIM

- Early Childhood Specialist
- Assistant Director (Children's Center)
- Evening Care Supervisor/Volunteer Coordinator (Children's Center)

Updated: 5/12/2022

Appendix 2 - WSU's Health Care Professional's Opinion for Hepatitis B Vaccination

Instructions: As required by the Occupational Exposure to Bloodborne Pathogens Standard, Chapter 296-823 WAC the Health Care Professional is to provide a written opinion for the vaccination. Provide a copy of this completed form to the employee within 15 days of initiation of the series. The employee will supply their supervisor with a copy of form as verification of immunization status.

Employee's Name:		_
Date of Evaluation:		_
☐ The employee named above has received. ☐ Hepatitis B vaccination is indicated for the second seco		on.
Health Care Professional's Name:		
Health Care Professional's Address:		
Health Care Professional's Telephone:		
Professional's Signature	Date	Health Care

The employing department will return a copy of this form to HRS at the address below. Please label the outside of the envelope "Confidential."

Washington State University HRS PO Box 641014 Pullman, WA 99164-1014 Phone: 509-335-4521

Appendix 3: WSU's Hepatitis B Vaccination Declination Form

Instructions: Employees declining the Hepatitis B Vaccination series are to complete this form and return it to their supervisor. The supervisor mails the completed form to the address below.

I understand that due to my occupational exposure to blood or other potentially infectious materials (OPIM), I may be at risk of acquiring hepatitis B virus (HBV) infection.
WSU (department name) has given me the opportunity to be vaccinated with the hepatitis B vaccine, at no charge to myself.
However, I decline hepatitis B vaccination at this time. I understand that by declining this vaccine, I continue to be at risk of acquiring hepatitis B, a serious disease. If, in the future, I continue to have occupational exposure to blood or other potentially infectious materials, and I want to be vaccinated with hepatitis B vaccine, I can receive the vaccination series at no charge to me.
☐ I have already received the hepatitis B vaccination series.
☐ I decline hepatitis B vaccination at this time
Employee's Name (Print)
Employee's Signature

Send the completed form to HRS at mail stop 1014. Please label the outside of the envelope "Confidential."

Updated: 5/12/2022

Appendix 4: WSU's Health Care Professional's Opinion for Post-Exposure Evaluation Form

Instructions: Employee or supervisor (if employee is unable) will complete this section of the form to provide the Health Care Professional with exposure information.

Date, time and location of expo	sure:	
	es during exposure:	
What part of the employees boo	dy (eye, mouth, finger, leg, etc.) wa	s exposed:
Routes of exposure (splash, sp	rayed, needle stick etc):	
Name and results of source ind	ividuals blood tests (or cell culture	e line) if available
Copy of the employee's Health	Care Professional's Written Opinio	on for Hepatitis Vaccination.
Medical records relevant to the	employee may be obtained from the	ne employees Medical Provide
Medical Provider Name	Address	 Phone

Appendix 5: WSU's Health Care Providers Opinion for Post-Exposure Follow-Up Form

Instructions: Health Care Professional completes this section of the form. Return this form to the address below and provide a copy to the employee, within 15 days of completion of the evaluation. Please label the outside of the envelope "Confidential."

Employ	/ee's Name:			
Date of	Incident:			
Date of	Evaluation:			
	potentially infectious mat The employee named ab	ve has been told about any health conditio	ns resulting from exposure	
		rials which require further evaluation or trea	atment.	
	nepatitis B vaccination is	is not indicated.		
Health	Care Professional's Name			
Health	Professional's Address:			
Health	Professional's Telephone:			
Drofess	sional's Signature	 Date	Health Care	
LIOIGS	sional s Signature	Dale		

Note to Health Care Professional:

WAC 296-823 Regulations: Occupational Exposure to Bloodborne Pathogens may be found at the following link: https://www.lni.wa.gov/safety-health/safety-rules/chapter-pdfs/WAC296-823.pdf

Updated: 5/12/2022