

**1. CV:**

**Name: Lee A Hadwiger**

**Title: Prof. of Plant Pathology**

**Dept. Plant Pathology**

**Institution: Washington State University, Day telephone: 509 335 3751**

**Fax: 509 335 9581 Email: chitosan@wsu.edu**

**Education- Degree and subject, name of institution**

**Undergraduate institution: Oklahoma State University, major, Agric Ed. B.S. degree**

**Graduate institution: Oklahoma State University, major, Plant Breeding, M. S. degree.**

**Graduate institution: Kansas State University, major, Horticulture/Biochem. Ph. D. degree**

**Sabbatical institution: Univ. of Freiburg, Germany, Klaus Halbrock  
Plant Molecular Biology Dept**

**Post doctoral institution: University of Calif., Davis, Plant Biochemistry**

**Post doctoral institution: Oklahoma State Univ. Plant Biochemistry**

**Current appointment: Prof. of Plant Pathology Washington State University, Dept. of Plant Pathology.**

**Professional memberships: American Phytopathological Society, Plant Biological Society, Molecular Plant-Microbe Interaction Soc., American Society of Potato researchers.**

**PUBLICATIONS & MS. since 2000 (Newest first, bold print highlighted):**

**Hadwiger, L. A., Tanaka, T (2018). DNA damage and chromatin conformation changes confer nonhost resistance: A hypothesis based on effects of anti-cancer agents on plant defense responses. Front. Plant Sci. 9:1056-1072. Doi: 10.3389/pls.2018.01056**

**Hadwiger, L. A., (2018). How plants resist disease- a focus on "nonhost resistance of pea to a bean pathogen. <http://openaccessbook.com/nonhost-resistance.html>**

**Tanaka, T., Hadwiger, L. A. Nonhost resistance: Reactive oxygen species (ROS) signal causes DNA damage and the induction of PR genes and disease resistance in pea tissue. Physiol. Molec Plant Pathology 98 (2017) 18-24. <http://dx.doi.org/10.1016/j.pmpp.2017.01.007>**

**Hadwiger, L. A., Tanaka, T., (2017). A simple and rapid assay for measuring phytoalexin pisatin, an indicator of plant defense response in pea (*Pisum sativum* L.) Bio-protocol 7:1-6. DOI:10.21769/BioProtoc.2362**

**Hadwiger, L. A., Tanaka, K., (2017). Nonhost resistance: DNA damage is associated with SA signaling for induction of PR genes and contributes to the growth suppression of a pea pathogen on pea endocarp tissue. Front. Plant Sci. 8:446-458. Doi: 10.3389/pls.2017.00446**

Hadwiger, L. A. 2015. Low level DNA damage occurs as PAMPs, chitin and flg22, activate PR genes, and increases pisatin and disease resistance in pea endocarp tissue. New Negat. Plant Sci.1-2:6-15.

Hadwiger, L. A., McDonel, H., Glawe, D. 2015. Wild Yeast strains as prospective candidates to induce resistance against potato late blight. Am. J. Potato Res. DOI 10.1007/s12230-015-9443-y

Hadwiger, L. A., Tanaka, K. 2015. EDTA a novel inducer of pisatin, a phytoalexin indicator of the non-host resistance in peas. Molecules 20, 24-34: doi:10.3390/molecules20010024

Hadwiger, L. A. 2015. Nonhost resistance: Self-inflicted DNA damage by fungal DNase accumulation is a major factor in terminating fungal growth in the pea –*Fusarium solani* f. sp. phaseoli interaction. Physiol. and Molecular Plant Pathology 92:79-87.

Hadwiger, L. A. 2015. Anatomy of a nonhost disease resistance response of pea to *Fusarium solani*: PR gene elicitation via DNase, chitosan and chromatin alterations. Frontiers in Plant Science 6:373-400.

Hadwiger, L. A. 2015. Chitosan: The preliminary research and the host/parasite system that led to the discovery of its antifungal and gene inducing properties. J. Mol. Genet. Med. 9:158. doi: 10.4172/1747-0862.1000158.

Hadwiger, L. A. and Kiwamu Tanaka. 2015. EDTA a novel inducer of pisatin, a phytoalexin indicator of the non-host resistance in peas. Molecules, 20:24-34; doi:10.3390/molecules20010024

Hadwiger, L.A. and J. Polashock. 2013. Fungal mitochondrial DNases. Effectors with the potential to activate plant defenses in nonhost resistance. Phytopathology 103:81-90.

Hadwiger, L. A. Druffel, K., Humann, J.L. and Schroeder, B.K. 2013. Nuclease released by *Verticillium dahliae* is a signal for non-host resistance. Plant Science 201-202:98-107.

Hadwiger, L. A. 2013. Multiple effects of chitosan on plant systems: Solid science or hype. Plant Science 208:42-49.

Isaac, J., Hartney, S. L., Druffel, K., Hadwiger, L. A. 2009. The non-host disease resistance in peas; alterations in phosphorylation and ubiquitination of HMGA and histone H2A/H2B. Plant Science 177:439-449.

Hadwiger, L. A. 2009. Localization predictions for gene products involved in non-host responses in a model plant/fungal pathogen interaction. Plant Science 177:257-265

Hadwiger, L. A. 2008. Pea/*Fusarium solani* interactions-contributions of a system towards understanding disease resistance. Phytopathology 98:372-379.

Hartney, S., Carson, J. and Hadwiger, L. A. 2007. The use of chemical genomics to detect functional systems affecting the non-host disease resistance of pea to *Fusarium solani* f. sp. *phaseoli*. *Plant Science* 172:45-56.

Hadwiger, L. A. and McBride, P. O. 2006. Chitosan/copper applications provide organic potato crop protection against late blight. *Plant Health Progress* doi:10.1094/PHP-2006-04XX-01-RS

Choi, J.J., Klosterman, S. J. and Hadwiger, L. A. 2004. A promoter from pea gene DRR206 is suitable to regulate an elicitor-coding gene and develop disease resistance. *Phytopathology* 94:651-660.

Druffel K., Carson, J. A., Hartney, S., and Hadwiger, L. A. 2005. Inverse PCR to identify DNA sequence upstream of the pea HMG-I/Y open reading frame. *Pisum Genetics* 37:15-18.

Hadwiger, L. A., McBride, P. O., Klosterman, S. J. and Choi, J.J. 2004. Chitosan as a component of the plant's disease resistance response and as a "sticker" for plant protection by antifungal compounds. In: *Advances in Chitin Science Vol.VII. Adenda*. Eds: Boucher, I., Jamieson, K., and Retnakaran, A. pp. 1-9.

Choi, J.J., Klosterman, S. J. and Hadwiger, L. A. 2004. A promoter from pea gene DRR206 is suitable to regulate an elicitor-coding gene and develop disease resistance *Phytopathology* 94:651-660.

Klosterman, S. J., Choi, J. J. and Hadwiger, L. A. 2003. Analysis of pea HMG I/Y suggests a role in defense gene regulation. *Molec. Plant Pathology* 4:249-258.

Klosterman, S. J. and Hadwiger, L. A., 2002. Plant HMG proteins bearing the AT-hook motif. *Plant Science* 162:855-866.

Chang, M.-M., Culley, D., Choi, J. J., and Hadwiger, L. A. 2002. *Agrobacterium*-mediated co-transformation of pea -1,3-glucanase and chitinase genes in potato (*Solanum tuberosum*) L. c.v. Russet Burbank using a single selectable marker. *Plant Science* 163:1-7.

Choi, J. J., Klosterman, S. J. and Hadwiger, L. A. 2001 A comparison of the effects of DNA damaging agents and biotic elicitors on the induction of plant defense genes, nuclear distortion and cell death. *Plant Physiol.* 125:752-762.

Klosterman, S. J., Choi, J. J., Chang, M.-M. and Hadwiger L. A. 2001. Is chitosan's defense response-inducing action mediated through the nuclear protein HMG-I (Y) in plants? In: *Chitin Enzymology* 2001. Ed: R. A. A. Muzzarelli. Atec. Italy. pp. 4-11.

Klosterman, S. J., Chen J., Choi, J. J., Chinn, E. E. and L. A. Hadwiger. 2001. Characterization of a 20 kDa DNase elicitor from *Fusarium solani* f. sp. *phaseoli* and its expression at the onset of induced resistance in *Pisum sativum*. *Molec. Plant Pathol.* 2:147-158.

Klosterman, S. J., Choi, J. J., Hadwiger, L. A. 2000. Programmed cell death is not mediated by a p53 homolog in *Pisum sativum* *Physiol. Molec. Plant Pathol.* 56:197-206.

**TOTAL PUBLICATIONS:** in chronological order:

Hadwiger, L. A. and C. V. Hall. 1961. The relation of pigmentation and free amino acid content with resistance to *Colletotrichum lagenarium* in watermelons. Plant Dis. Rpt. 45:373.

Hadwiger, L. A., S. Badiei, G. R. Waller, and R. K. Gholson. 1963. Quinolinic acid as a precursor of nicotinic acid and its derivatives in plants. Biochem. Biophys. Com. 13:466.

Hadwiger, L. A. and C. V. Hall. 1963. A biochemical study of the host-parasite relationship between *Colletotrichum lagenarium* and cucurbit hosts. Proc. Amer. Soc. Hort. Sci. 82:378.

Hadwiger, L. A. and G. R. Waller. 1964. Biosynthesis of riciniine in excised root of *Ricinus communis*. Plant Physiol. 39:244.

Floss, H. G., L. A. Hadwiger, and E. E. Conn. 1965. Enzymatic formation of cyanoalanine from cyanide. Nature 208:1207-1208.

Hadwiger, L. A., H. G. Floss, J. R. Stoker, and E. E. Conn. 1965. Biosynthesis of Orcylalanine. Phytochemistry 4:825-831.

Hadwiger, L. A. 1966. Biosynthesis of Pisatin. Phytochemistry 5:523-525.

Waller, G. R., K. S. Yang, R. K. Gholson, L. A. Hadwiger, and S. Chaykin. 1966. The pyridine nucleotide cycle and its role in the biosynthesis of ricinine by *Ricinus communis* L. J. Biol. Chem. 241:4411-4418.

Hadwiger, L. A. 1967. Changes in host metabolism associated with phytoalexin production. Phytopathology 57:1258-1259.

Hadwiger, L. A. and S. Fulger. 1967. The effect of RNase on the infection response of three near isogenic lines of flax to race 1 of *Melampsori lini*. Phytopathology 57:1005.

Hadwiger, L. A. 1968. Changes in plant metabolism associated with phytoalexin production. Neth. J. Plant Path. 74:163-169.

Schwochau, M. E. and L. A. Hadwiger. 1968. Stimulation of pisatin production in *Pisum sativum* by actinomycin D and other compounds. Arch. Biochem. Biophys. 126:731-733.

Guenther, H., H. G. Floss, and L. A. Hadwiger. 1969. Biosynthesis of furanocoumarins in diseased celery. Phytochemistry 8:585-590.

Hadwiger, L. A. and M. E. Schwochau. 1969. Host resistance responses -- an induction hypothesis. Phytopathology 59:223-227.

Schwochau, M. E. and L. A. Hadwiger. 1969. Regulation of gene expression by actinomycin D and other compounds which change the conformation of DNA. Arch. Biochem. Biophys. 134:34-41.

Hadwiger, L. A., S. L. Hess, and S. von Broembsen. 1970. Stimulation of phenylalanine ammonia-lyase activity and phytoalexin production. Phytopathology 60:332-336.

Hadwiger, L. A. and M. E. Schwochau. 1970. Induction of phenylalanine ammonia lyase and pisatin in pea pods by polylysine, spermidine, or histone fractions. Biochem. Biophys. Res. Comm. 38:683-691.

Schwochau, M. E. and L. A. Hadwiger. 1970. Induced host resistance -- a hypothesis derived from studies of phytoalexin production. *Recent Advances in Phytochemistry* 3:182-189.

Hadwiger, L. A. and A. R. Martin. 1971. Induced formation of phenylalanine ammonia lyase and pisatin by chlorpromazine and other phenothiazine derivatives. *Biochem. Pharm.* 20:3255-3261.

Hess, S. L. and L. A. Hadwiger. 1971. The induction of phenylalanine ammonia lyase and phaseolin by 9-aminoacridine and other deoxyribonucleic acid intercalating compounds. *Plant Physiol.* 48:197-202.

Hess, S. L., L. A. Hadwiger, and M. E. Schwochau. 1971. Studies on biosynthesis of phaseolin in excised pods of *Phaseolus vulgaris*. *Phytopathology* 61:79-82.

Hadwiger, L. A. and M. E. Schwochau. 1971. Specificity of deoxyribonucleic acid intercalating compounds in the control of phenylalanine ammonia lyase and pisatin levels. *Plant Physiol.* 47:346-351.

Hadwiger, L. A. and M. E. Schwochau. 1971. Ultraviolet light-induced formation of pisatin and phenylalanine ammonia lyase. *Plant Physiol.* 47:588-590.

Hadwiger, L. A. 1972. Increased levels of pisatin and phenylalanine ammonia lyase activity in *Pisum sativum* treated with antihistaminic, antiviral, antimalarial, tranquilizing or other drugs. *Biochem. Biophys. Res. Comm.* 46:71-79.

Hadwiger, L. A. 1972. Induction of phenylalanine ammonia-lyase and pisatin by photosensitive psoralen compounds. *Plant Physiol.* 49:779-782.

Hadwiger, L. A. 1972. Phytoalexin production induced by heavy metals; a proposed mode of action. *Phytopathology* 62:761-762.

Christenson, J. A. and L. A. Hadwiger. 1972. Pisatin induction in the foot region of pea seedlings by pathogenic and nonpathogenic clones of *Fusarium solani*. *Phytopathology* 62:1101-1102.

von Broembsen, S. L. and L. A. Hadwiger. 1972. Characterization of disease resistance responses in certain gene-for-gene interactions between flax and *Melampsora lini*. *Physiol. Plant Pathol.* 2:207-215.

Christenson, J. A. and L. A. Hadwiger. 1973. Induction of pisatin formation in the pea foot region by pathogenic and nonpathogenic clones of *Fusarium solani*. *Phytopathology* 63:784-790.

Hadwiger, L. A., S. von Broembsen, and R. Eddy, Jr. 1973. Increased template activity in chromatin from cadmium chloride treated pea tissues. *Biochem. Biophys. Res. Commun.* 40:1120-1128.

Hadwiger, L. A., A. Jafri, S. von Broembsen, and R. Eddy, Jr. 1974. Mode of pisatin induction. Increased template activity and dye-binding capacity of chromatin isolated from polypeptide-treated pea pods. *Plant Physiol.* 53:52-63.

Teasdale, J., D. Daniels, W. C. Davis, R. Eddy, Jr., and L. A. Hadwiger. 1974. Physiological and cytological similarities between disease resistance and cellular incompatibility responses. *Plant Physiol.* 54:690-695.

Green, N. E., L. A. Hadwiger, and S. O. Graham. 1975. Phenylalanine ammonia-lyase, tyrosine ammonia-lyase, and lignin in wheat inoculated with *Erysiphe graminis* f. sp. *tritici*. *Phytopathology* 65:1071-1074.

Hadwiger, L. A. 1975. Mechanisms of phytoalexin production. *Kagaku to Seibutsu* 13:442-446.

- von Broembsen, S. and L. A. Hadwiger. 1975. Isolation and characterization of poly-A-containing RNA from the ribosomes of pea tissues induced to produce pisatin. *Genetics* 74:287-290.
- Daniels, D. L. and L. A. Hadwiger. 1976. Pisatin-inducing components in filtrates of virulent and avirulent *Fusarium solani* cultures. *Physiol. Plant Pathol.* 8:9-19.
- Hadwiger, L. A., C. Sander, J. Eddyvean, and J. Ralston. 1976. Sodium azide-induced mutants of peas that accumulate pisatin. *Phytopathology* 66:629-630.
- Hadwiger, L. A., D. C. Loschke, and J. R. Teasdale. 1977. An evaluation of pea histones as disease resistance factors. *Phytopathology* 67:755-758.
- Teasdale, J. R. and L. A. Hadwiger. 1977. Effect of pisatin inducing fungi on pea polyamines. *Phytochemistry* 16:681-682.
- Hadwiger, L. A. and M. J. Adams. 1978. Nuclear changes associated with the host-parasite interaction between *Fusarium solani* and peas. *Physiol. Plant Pathol.* 12:63-72.
- Allan, C. R. and L. A. Hadwiger. 1979. The fungicidal effect of chitosan on fungi of varying cell wall composition. *Mycology* 3:285-287.
- Sander, C. and L. A. Hadwiger. 1979. L-phenylalanine ammonia-lyase and pisatin induction by 5-bromodeoxyuridine in *Pisum sativum*. *Biochem. Biophys. Acta* 563:278-292.
- Hadwiger, L. A. and J. M. Beckman. 1980. Chitosan as a component of pea - *F. solani* interactions. *Plant Physiol.* 66:205-211.
- Nichols, J., J. M. Beckman, and L. A. Hadwiger. 1980. Glycosidic enzyme activity in pea tissue and pea-*Fusarium solani* interactions. *Plant Physiol.* 66:199-204.
- Hadwiger, L. A. and D. C. Loschke. 1981. Effects of light and of *Fusarium solani* on synthesis and activity of phenylalanine ammonia-lyase in peas. *Plant Physiol.* 68:680-685.
- Hadwiger, L. A., J. M. Beckman, and M. J. Adams. 1981. Localization of fungal components in the pea-*Fusarium* interaction detected immunochemically with antichitosan and antifungal cell wall antisera. *Plant Physiol.* 67:170-175.
- Hadwiger, L. A. and D. C. Loschke. 1981. Molecular communication in host-parasite interactions. Hexosamine polymers (chitosan) as regulator compounds in race-specific and other interactions. *Phytopathology* 71:756-761.
- Loschke, D. C., L. A. Hadwiger, J. Schroder, and K. Hahlbrock. 1981. Effects of pathogenic and nonpathogenic races of *Fusarium solani* and of light in peas: Rate of synthesis and activity of phenylalanine ammonia-lyase. *Plant Physiol.* 68:680-685.
- Loschke, D. C., L. A. Hadwiger, J. Schroder, and K. Hahlbrock. 1981. *In vivo* studies on the response of phenylalanine ammonia-lyase in peas to light and to pathogenic and non-pathogenic races of *Fusarium solani*. *Plant Physiol.* 68:680-685.

Wagoner, W., D. C. Loschke, and L. A. Hadwiger. 1982. Two-dimensional electrophoretic analysis of *in vivo* and *in vitro* protein synthesis in peas inoculated with compatible and incompatible *Fusarium solani*. *Physiol. Plant Pathology* 20:99-107.

Simons-Walker, M., L. A. Hadwiger, and C. A. Ryan. 1983. Chitosans and pectic polysaccharides both induce the accumulation of the antifungal phytoalexin pisatin in pea pods and antinutrient proteinase inhibitors in tomato leaves. *Biochem. and Biophys. Res. Com.* 110:194-199.

Hadwiger, L. A. and W. Wagoner. 1983. Effect of heat shock on the mRNA-directed disease resistance response of peas. *Plant Physiol.* 72:553-556.

Hadwiger, L. A. and W. Wagoner. 1983. Electrophoretic patterns of pea and *Fusarium solani* proteins synthesized *in vitro* or *in vivo* which characterize the compatible and incompatible interactions. *Physiol. Plant Pathology* 23:153-162.

Loschke, D. C., L. A. Hadwiger, and W. Wagoner. 1983. Comparison of mRNA populations coding for phenylalanine ammonia lyase and other peptides from pea tissue treated with biotic and abiotic phytoalexin inducers. *Physiol. Plant Path.* 23:163-173.

Hadwiger, L. A. and D. M. Webster. 1984. Phytoalexin production in five cultivars of peas differentially resistant to three races of *Pseudomonas syringae* pv. *pisii*. *Phytopathology* 74:1312-1314.

Kendra, D. F. and L. A. Hadwiger. 1984. Characterization of the smallest chitosan oligomer that is maximally antifungal to *Fusarium solani* and elicits pisatin formation in *Pisum sativum*. *Exp. Mycol.* 8:276-281.

Mauch, F., L. A. Hadwiger, and T. Boller. 1984. Ethylene: symptom not signal for the induction of chitinase and  $\beta$ -1, 3-glucanase in pea pods by pathogens and elicitors. *Plant Physiol.* 76:607-611.

Walker-Simmons, M., D. Jin, C. A. West, L. Hadwiger, and C. A. Ryan. 1984. Comparison of proteinase inhibitor-inducing activities and phytoalexin elicitor activities of a pure fungal endopolygalacturonase, pectic fragments, and chitosans. *Plant Physiol.* 76:833-837.

Riggleman, R. C., B. W. Fristensky, and L. A. Hadwiger. 1985. The disease resistance response in pea is associated with increased transcription of specific mRNAs. *Plant Molecular Biology* 4:81-86.

Fristensky, B., R. C. Riggleman, W. Wagoner, and L. A. Hadwiger. 1985. Gene expression in susceptible and disease resistant interactions of peas induced with *Fusarium solani* pathogens and chitosan. *Physiol. Plant Path.* 27:15-28.

Hadwiger, L. A., D. F. Kendra, B.W. Fristensky, W.Wagoner. 1986. Chitosan both activates genes in plants and inhibits RNA synthesis in fungi. In: *Chitin in Nature and Technology*, Eds: R. Muzzaraelli, C. Jeuniaux and G. W. Gooday. Plenum Press, N.Y. 1986

Daniels, C. H., B. W. Fristensky, W. Wagoner, and L. A. Hadwiger. 1986. Pea genes associated with non-host disease resistance to *Fusarium* are also active in race-specific disease resistance to *Pseudomonas*. *Plant Molecular Biology* 8:309-316.

Kendra, D. F. and L. A. Hadwiger. 1987. Cell death and membrane leakage are not associated with the induction of disease resistance in peas by chitosan or *Fusarium solani* f. sp. *phaseoli*. *Phytopathology* 77:100-106.

Kendra, D. F. and L. A. Hadwiger. 1987. Calcium and calmodulin may not regulate the disease resistance and pisatin formation responses of *Pisum sativum* to chitosan or *Fusarium solani*. *Physiol. Molecular Plant Path.* 31:337-348.

Daniels, C. H., Y. S. Cody, and L. A. Hadwiger. 1988. Host responses in peas to challenge by wall components of *Pseudomonas syringae* pv. *psii* Races 1, 2 and 3. *Phytopathology* 78:1451-1453.

Fritensky, B., D. Horovitz, and L. A. Hadwiger. 1988. cDNA sequences for pea disease resistance response genes. *Plant Molecular Biol.* 11:713-715.

Hadwiger, L. A. 1988. Possible role of nuclear structure in disease resistance in plants. *Phytopathology* 78:1009-1014.

Mauch, F., L. A. Hadwiger, and T. Boller. 1988. Antifungal hydrolases in pea tissue. I. Purification and characterization of two chitinases and two  $\beta$ -1, 3-glucanases differentially regulated during development and in response to fungal infection. *Plant Physiol.* 87:325-333.

Christian, D. A. and L. A. Hadwiger. 1989. Pea saponins in the pea/*Fusarium solani* interaction. *Exp. Mycology* 13:419-427.

Kendra, D. F., D. A. Christian, and L. A. Hadwiger. 1989. Chitosan oligomers from *Fusarium solani*/pea interactions, chitinase/ $\beta$ -glucanase digestion of sporelings and from fungal wall chitin actively inhibit fungal growth and enhance disease resistance. *Physiol. Molecular Plant Path.* 35:215-230.

Chiang, C. C. and L. A. Hadwiger. 1990. Cloning and characterization of a disease resistance response gene in pea induced by *Fusarium solani*. *Mol. Plant Microb. Interactions* 3:78-85

Daniels, C. H. and L. A. Hadwiger. 1990. Effect of heat shock on the expression of disease resistance response genes in peas. *Pisum Newsletter* 22:12-14.

Chiang, C. C. and L. A. Hadwiger. 1991. The *Fusarium solani*-induced expression of a pea gene family encoding cysteine content proteins. *Mol. Plant-Microb Interact.* 4:324-331.

Chang, M. M., D. Horovitz, and L. A. Hadwiger. 1992. Expression of a  $\beta$ -1,3-glucanase in peas in response to chitosan and fungal challenge. *Plant Mol. Biol.* 20:609-618.

Hadwiger, L. A., C. C. Chiang, and D. Horovitz. 1992. Expression of disease resistance response genes in near-isogenic pea cultivars following challenge by *Fusarium oxysporum* Race 1. *Physiol. Mol. Plant Path.* 40:259-270.

Gerhold, D.L., A.J. Pettinger and L.A. Hadwiger. 1993. Characterization of a plant-stimulated nuclease from *Fusarium solani*. *Physiol. Molec. Plant Pathology* 43:33-46.

Chang, M.M., C.C. Chiang, M.W. Martin and L.A. Hadwiger. 1993. Expression of a pea disease resistance response protein in potatoes. *Amer. Pot. J.* 70:635-647.



- Hadwiger, L.A. and D.E. Culley 1993. Non-host resistance in plants: The pea/*Fusarium* model. *Trends in Microbiology*. 1:136-141.
- Chang, M.M., D.E. Culley and L.A. Hadwiger. 1993. Nucleotide sequence of a pea  $\beta$ -1,3-glucanase gene. *Plant Physiol*. 101:1121-1122.
- Hadwiger, L.A., H. Kuyama and T. Ogawa. 1994. Chitosan polymer sizes effective in inducing phytoalexin accumulation and fungal suppression are verified with synthesized oligomers. *Mol. Plant-Microb. Interact.* 7:531-533.
- Allaire, B.S. and L.A. Hadwiger. 1994. Immunogold localization of a disease resistance response protein in *Pisum sativum* endocarp cells. *Physiol. Molec. Plant Pathology*. 44:9-17.
- Hadwiger, L. A., Chang, M. M. and Parsons, M. A. 1995. *Fusarium solani* DNase is a signal for increasing expression of nonhost disease resistance response genes, hypersensitivity and pisatin production. *Mol. Plant-Microbe Interact.* 8:871-879.
- Culley, D. E., Horovitz, D., and Hadwiger, L. A. 1995. Molecular characterization of disease-resistance response gene DRR206-d from *Pisum sativum* (L). *Plant Physiol*.107:301-302.
- Chang, M. M., Horovitz, D., Culley, D., and Hadwiger, L. A. 1995. Molecular cloning and characterization of a pea chitinase gene expressed in response to wounding, fungal infection and the elicitor chitosan. *Plant Mol. Biol.* 28:105-111.
- Kendra, D. F., Christian, D., and Hadwiger, L. A. 1998. Chitosan oligomers from *Fusarium solani*/pea interactions, chitinase/ beta glucanase digestion of sporelings and from fungal wall chitin actively inhibit fungal growth and enhance disease resistance. *Physiol. Molec. Plant Path.* 45:215-230.
- Parsons, M. A. and Hadwiger, L. A. 1998. Photoactivated psoralens elicit defense genes and phytoalexins production in the pea plant. *Photochem. Photobiol.* 67:438-445.
- Watkins W. T. and Hadwiger, L. A. 1998. A nuclease released from *Colletotrichum coccodes* is a defence gene elicitor in pea tissue. *Mycol. Res.* 102:167-173.
- Wang, Y., Nowak, G., Culley, D., Hadwiger, L. A., and Fristensky, B. 1999. Constitutive expression of pea defense gene DRR206 confers resistance to black leg (*Leptosphaeria maculans*) sitesase in transgenic canola (*Brassica napus*). *Mol. Plant-Microbe Interact.* 12:410-418.
- Choi, J. J., Klosterman, S. J., Hadwiger, L. A. 2001. A comparison of the effects of DNA-damaging agents and biological elicitors on the induction of plant defense genes, nuclear distortion and cell death. *Plant Physiol.* 125:752-762.
- Klosterman, S.J., Chen, J., Choi, J.J. Chen, E.E., Hadwiger, L. A. 2001. Characterization of a 20 kDa DNase elicitor from *Fusarium solani* f. sp. *phaseoli* and its expression at the onset of induced resistance in *Pisum sativum*. *Mol. Plant Pathol.* 2: 147-158
- Klosterman, S. J. and L. A. Hadwiger. 2002. Plant HMG proteins bearing the AT-hook motif. *Plant Science* 162:855-866.
- Klostermann, S.J., Choi, J.J., and Hadwiger, L. A. 2003. Analysis of pea HMG-I/Y expression suggests a role in defence gene regulation. *Mol. Plant Pathol.* 4:249-258.

Choi, J.J., Klosterman, S. J. and Hadwiger, L. A. 2004. A promoter from pea gene DRR206 is suitable to regulate an elicitor-coding gene and develop disease resistance. *Phytopathology* 94:651-660.

Druffel K., Carson, J. A., Hartney, S., and Hadwiger, L. A. 2005. Inverse PCR to identify DNA sequence upstream of the pea HMG-I/Y open reading frame. *Pisum Genetics* 37:15-18.

Druffel K., Carson, J. A., Hartney, S., and Hadwiger, L. A. 2005. Inverse PCR to identify DNA sequence upstream of the pea HMG-I/Y open reading frame. *Pisum Genetics* 37:15-18.

Hadwiger, L. A. and McBride, P. O. 2006. Chitosan/copper applications provide organic potato crop protection against late blight. *Plant Health Progress*  
doi:10.1094/PHP-2006-04XX-01-RS

Hartney, S., Carson, J. and Hadwiger, L. A. 2007. The use of chemical genomics to detect functional systems affecting the non-host disease resistance of pea to *Fusarium solani* f. sp. *phaseoli*. *Plant Science* 172:45-56.

Hadwiger, L. A. 2008. Pea/*Fusarium solani* interactions-contributions of a system towards understanding disease resistance. *Phytopathology* 98:372-379.

Hadwiger, L. A. 2009. Localization predictions for gene products involved in non-host resistance responses in a model plant/fungal pathogen interaction. *Plant Science* 177:257-265.

Isaac, J., Hartney, S. L., Druffel, K., Hadwiger, L. A. 2009. The non-host disease resistance response in peas; alterations in phosphorylation and ubiquitination of HMG A and histones H2A/H2B. *Plant Science* 177:439-449.

Hadwiger, L. A. 2013. Multiple effects of chitosan on plant systems: Solid science or hype. *Plant Science* 208:42-49.

Hadwiger, L.A. and J. Polashock. 2013. Fungal mitochondrial DNases. Effectors with the potential to activate plant defenses in nonhost resistance. *Phytopathology* 103:81-90.

Hadwiger, L. A. Druffel, K., Humann, J.L. and Schroeder, B.K. 2013. Nuclease released by *Verticillium dahliae* is a signal for non-host resistance. *Plant Science* 201-202:98-107.

Hadwiger, L. A. and Kiwamu Tanaka. 2015. EDTA a novel inducer of pisatin, a phytoalexin indicator of the non-host resistance in peas. *Molecules*, 20:24-34; doi:10.3390/molecules20010024

Hadwiger, L. A. 2015. Low level DNA damage occurs as PAMPs, chitin and flg22, activate PR genes, and increases pisatin and disease resistance in pea endocarp tissue. *New Negat. Plant Sci.* 1-2:6-15.

Hadwiger, L. A., McDonel, H., Glawe, D. 2015. Wild Yeast strains as prospective candidates to induce resistance against potato late blight. *Am. J. Potato Res.* DOI 10.1007/s12230-015-9443-y

Hadwiger, L. A. 2015. Nonhost resistance: Self-inflicted DNA damage by fungal DNase accumulation is a major factor in terminating fungal growth in the pea –*Fusarium solani* f. sp. *phaseoli* interaction. *Physiol. and Molecular Plant Pathology* 92:79-87.

Hadwiger, L. A. 2015. Anatomy of a nonhost disease resistance response of pea to *Fusarium solani*: PR gene elicitation via DNase, chitosan and chromatin alterations. *Frontiers in Plant Science* 6:373-400.

Hadwiger, L. A. 2015. Chitosan: The preliminary research and the host/parasite system that led to the discovery of its antifungal and gene inducing properties. *J. Mol. Genet. Med.* 9:158. doi: 10.4172/1747-0862.1000158.

